



# DET NORSKE VERITAS AS

## STATEMENT OF COMPLIANCE

*Application of the Council Directive 94/9/EC of 23 March 1994 on Atmosphere Explosive,*

**STATEMENT NO. DNV-2007-IND-ATEX-111002-R1**  
*(The statement consists of front page and Appendix)*

The manufacturing of the following Non-Electrical, Mechanical Equipment

**PNEUMATIC RACK & PINION ACTUATORS**  
**(Without Accessories)**

*(IDENTIFICATION: DELTORQ SERIES 21 SIZES: 045, 055, 065, 075, 085, 100, 115, 125, 150, 175 & 200)*  
*Manufactured by*

**DELVAL FLOW CONTROLS PVT. LTD.**

*At*

**Gat No. 625/1/2, Kuruli, Tal. Khed, Pune – Nasik Highway,  
Pune – 410 501, India**

*is found to comply with the requirements applicable to it*

The manufacturer's technical Construction File (TCF), has been reviewed and found to comply with the requirements in Annex VIII, section 3, Module A,  
{Equipment Classification as Category 2, Group II (Non-mining) Gas (zone 1 & 2) & Dust (zone 21 & 22)  
Constructional safety 'c' }

### *Applications/Limitations:*

Modifications made to the products shall immediately be reported to Det Norske Veritas AS in order to examine whether this Statement remains valid.

*Place and date*

Chennai 2008-10-03

DET NORSKE VERITAS REGION INDIA

Parthasarathy Kannan

Product Responsible



*This Statement is valid until*

2010.10.15

G.I. Sindgi

Project Responsible

*Notice: The statement is subject to terms and condition, if any, overleaf. Any significant changes in design or construction of the product, the quality system or amendments to the Directive or Standards referenced above may render this statement invalid. The product liability rests with the manufacturer or his representative in accordance with the Council Directive, as amended.*

It is agreed that save as provided below Det Norske Veritas AS, its subsidiaries, bodies, officers, directors, employees and agents shall have no liability for any loss, damage or expense, allegedly caused directly or indirectly by their mistake or negligence, breach of warranty, or any other act, omission or error by them, including gross negligence or willful misconduct by any such person with the exception of gross negligence or willful misconduct by the governing bodies or senior executive officers of Det Norske Veritas. This applies regardless of whether the loss, damage or expense has affected anyone with whom Det Norske Veritas AS has a contract or a third party who has acted or relied on decisions made or information given by or on behalf of Det Norske Veritas AS. \* However, if any person uses the services of Det Norske Veritas or its subsidiaries or relies on any decision made or information given by or on behalf of them and in consequence suffers a loss, damage or expense proved to be due to their negligence, omission or default, then Det Norske Veritas AS will pay by way of compensation to such person a sum representing his proved loss. \* In the event Det Norske Veritas AS or its subsidiaries may be held liable in accordance with the sections above, the amount of compensation shall under no circumstances exceed the amount of the fee, if any, charged for that particular service, decision, advice or information. \* Under no circumstances whatsoever shall the individual or individuals who have personally caused the loss, damage or expense be held liable. \* In the event that any provision in this section shall be invalid under the law of any jurisdiction, the validity of the remaining provisions shall not in any way be affected.



## STATEMENT OF COMPLIANCE

## APPENDIX – 1

Annex to Statement of Compliance no: DNV-2007-IND-ATEX-111002-R1

Revision	Description	Issued date
0	Original Certificate	2007.10.15
1	Updated with new address	2008.10.03

MANUFACTURER : DELVAL FLOW CONTROLS PVT. LTD PUNE  
MACHINERY : Pneumatic Rack & Pinion (Without Accessories)  
IDENTIFICATION : Deltroq Series 21

The Statement referred to above covers the following products:

**Pneumatic Rack and Pinion Actuator: Non- Electrical Mechanical Equipment**

Sl. No.	Model	Product	Model	Remarks
1	Deltroq Series 21	Pneumatic Rack & Pinion Actuator	045, 055, 065, 075, 085, 100, 115, 125, 150, 175 & 200	Double Acting (DA) Actuator Spring Return (SR) Actuator

For the designated Product - the Technical construction file is in compliance with the requirements in Annex VIII, section 3, Module A, ATEX Directive 94/9/EC. Further the requirements of Essential Health & Safety requirements are also verified against the Technical standards satisfactorily.

Equipment Details:

Pneumatic Rack & Pinion Actuator (Non electrical, Mechanical equipment)

Module : A



Category : 2

Group : II (Non-Mining)

Gas zone : 1 & 2

Dust zone : 21 & 22

Constructional safety : 'c'

Marking of Protective equipment shall include   II 2 GD c T6 X

If the sign 'X' is placed after the protective markings, it indicates that the equipment or protective system is subjected to special conditions for use specified. Refer Instruction sheets for details.